NebGuide

Published by University of Nebraska-Lincoln Extension, Institute of Agriculture and Natural Resources

G1780

Manure Testing: What to Request?

Charles A. Shapiro, Extension Soils Specialist Charles S. Wortmann, Nutrient Management Specialist

Manure testing is necessary to make optimum use of manure while protecting water resources. This publication is a guide to providing information on a *Manure Sample Submission Form* for reliable interpretation of results.

Tests Desired

The tests most frequently needed to optimize nutrient management are total and ammonium nitrogen (NH_4 -N), phosphorus (P_2O_5), potassium (K_2O), pH, soluble salts, sodium, and dry matter content.

Nitrogen. Manure contains both organic and inorganic forms of nitrogen. Ammonium-N is the primary inorganic form in manure and is readily available to crops. Nitrate-N concentration is usually too small to affect management decisions, unless the manure is composted.

Organic nitrogen is the difference between total nitrogen and inorganic nitrogen. Organic nitrogen becomes available to plants as manure decomposes, with 20 percent to 50 percent of organic nitrogen available to the first crop after application. Much of the remaining organic nitrogen becomes available in subsequent years.

Phosphorus. Most manure phosphorus (about 75 percent) is in inorganic forms. Phosphorus analysis allows calculation of the most economical manure rates while avoiding overapplication of phosphorus that can have severe consequences to surface waters.

Other tests. Tests for potassium, sulfur, zinc, and other nutrients may be useful. When manure is applied to meet nitrogen or phosphorus needs, other nutrients are generally adequate for soils in Nebraska. If liquid manure is applied to a crop through sprinkler irrigation, test for soluble salts or electrical conductivity to determine a management plan for avoiding leaf burning. For more information see EC778, *Application of Liquid Animal Manures Using Center Pivot Irrigation.* Information on soluble salt content or electrical conductivity is useful in managing anaerobic lagoons as "purple lagoons" associated with EC values of less than 6 mmhos/cm. When the surface of a lagoon has a purple color, the microbial processes are functioning well and the odor is less.

Report Information

Units. Specify if the results should be reported in pounds of nutrient per ton (spreader), per 1,000 gallons (tanks or umbilical cord), or per acre-inch (irrigation). This depends on your application method. Phosphorus and potassium should be reported in the oxide form (P_2O_5 and K_2O) so their fertilizer value is easy to calculate.

Moisture. Reporting the results on an "as is" or "wet" basis allows a producer to determine the nutrient application rate without adjusting for water content.

Nutrient availability. Laboratories can estimate the amount of nutrients available in the first year, and the amount of manure nitrogen which will be available during following years. This is especially important for solid manures.

Application basis. Manure is often applied on a "nitrogen basis," to supply enough nitrogen to meet crop needs. When soil test phosphorus is excessive, manure may be applied on a "phosphorus basis," that is at a rate sufficient to match phosphorus removal by the crop.

Estimating Crop Available Nitrogen

The information requested is used to estimate the amount of nitrogen available to the crop from manure. Select the appropriate ammonium-N factor for the time of manure application and days until incorporation to enable an estimate of ammonium-N loss to the atmosphere. Indicate the type of manure and species as these affect organic-N availability. If manure applied in the past is similar to the current sample, give information on past year applications and the rate applied to estimate the amount of nitrogen available to this year's crop from the previously applied manure.

Suggestions on how to interpret a manure analysis are given in NebGuide G1335, *Determining Crop Available Nutrients from Manure*.

Area Laboratories

Agvise Laboratories

902 13th St. N P.O. Box 187 Benson, MN 56215 (320) 843-4109 *agvise@polarcomm.com www.agvise.com*

A&L Heartland Labs, Inc.

111 Linn Street P.O. Box 455 Atlantic, IA 50022 (712) 243-6933 (800) 434-0109 smckee@allabs.com www.allabs.com

Midwest Laboratories

13611 "B" St. Omaha, NE 68144 (402) 334-7770 *jpt1@midwestlabs.com www.midwestlabs.com*

Olsen's Agricultural Laboratory

210 E. First St. P.O. Box 370 McCook, NE 69001 (308) 345-3670 *info@olsenlab.com www.olsenlab.com*

Platte Valley Laboratories

P.O. Box 807 914 Hwy. 30 Gibbon, NE 68840 (308) 468-5975 *info@soillab.com www.soillab.com*

Servi-Tech Laboratories

1602 Park West Drive P.O. Box 169 Hastings, NE 68902 (402) 463-3522 (800) 557-7509 *kristeno@servitechlabs.com www.servitechlabs.com*

University of Nebraska

Soil and Plant Analysis Lab 153 Keim Hall P.O. Box 830916 Lincoln, NE 68583-0916 (402) 472-1571 spal@unl.edu www.agronomy.unl.edu/spal

Ward Laboratories

4007 Cherry Ave. P.O. Box 788 Kearney, NE 68848 (308) 234-2418 (800) 887-7645 rayward@wardlab.com www.wardlab.com

Acknowledgment

The authors would like to acknowledge the work of Richard L. Deloughery, former Water Quality Extension Educator, who was a coauthor of the previous edition of this publication.

Disclaimer

Reference to commercial products or trade names is made with the understanding that no discrimination is intended of those not mentioned and no endorsement by University of Nebraska–Lincoln Extension is implied for those mentioned.

UNL Extension publications are available online at *http://extension.unl.edu/publications*.

Index: Waste Management Livestock Waste Systems Issued November 2007

Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture.

University of Nebraska–Lincoln Extension educational programs abide with the nondiscrimination policies of the University of Nebraska–Lincoln and the United States Department of Agriculture.

Manure Sample Submission Form		
Client information: Name:	Analysis results to be communicated to: Mail address Fax number e-mail address If sent to e-mail address, would you like a: pdf file txt file xls file Report In	Sample names:
 Nebraska Minimum (Total N, NH₄-N, Organic-N, P, K, moisture) Standard lab analysis pH, soluble salts, sodium 	Units: lbs/ton lbs/1,000 gallons lbs/acre inch ppm or % Moisture: As received or wet basis Dry matter basis	Nutrient availability: 1st year availability only Additional years Estimate application rate on a: Nitrogen basis Phosphorus basis Application rate units: Tons/acre 1,000 gallons/acre Inches/acre
For the Estimate of Crop Available Nitrogen		
Ammonium-N factors Time of application Fall Winter Spring Summer Manure incorporation Immediately One day later Three days later Four to seven days later Not incorporated Sidedress application Incorporated as applied	Organic-N factors Type of manure Solid Solids with litter or bedding Composted solids Stored liquid Fresh, daily scrape Species Dairy Beef Swine Poultry – layer Poultry – broiler Turkey Other:	Past year applications Every year Every other year Every third year Every fourth year First time application Rate applied (if known): Notes:

This generic manure sample form is provided by University of Nebraska–Lincoln Extension.